



## SLUSH EQUIPMENT

# BUILT TO BE YOUR KIND OF FUN

It's always more fun when you can put your own spin on the world's happiest, most refreshing on-the-go treat.

### DO IT YOUR WAY

With the versatility to create your own ever-changing frozen drink menu, our equipment helps you stand out from the crowd.

- Easily switch flavors and offer everything from colorful, fruity slushes to gourmet frozen teas and coffees
- Stay on-trend and drive traffic with cool, new LTOs
- Capitalize on a customizable, high-margin profit center

### SERVING YOU, SERVING THEM

While our slush equipment is built to be your kind of fun, we're built to serve. We support our customers with a global distributor network, dedicated help centers and the most highly trained service technicians in the industry.



### YOU'LL LOVE EVERYTHING ABOUT IT

If you think making your own slush menu sounds sweet, wait until you hear the rest of it. These freezers really are designed around your operation.

- Available in one- and two-flavor models
- Choose from a variety of sizes including small countertop and high-volume freestanding options
- Pre-mix or post-mix syrups for unlimited flavor choices
- Compatible with syrup programs from popular soft drink brands
- Superb repeatability for phenomenal slushes every draw
- Excellent recovery time and throughput so you can handle any rush
- Easy to use for customers and staff
- Some models with remote refrigeration





MODEL	0340	0390	0428	0430	RD30	0342	0432
Number of Flavors	1	1	1	1	1	2	2
Frozen Carbonated Beverage (FCB)							
Installation	Countertop	Countertop	Countertop	Countertop	Countertop	Floor	Countertop
Optional Cart			X				X
Optional Remote Auto Fill System	X					X	
Optional Syrup Jars/ Brackets	X					X	
Optional Panel Spinner		X	X	X			X
Compressor btu/hr*	115V=6,000 All Others=7,500	7,500	3,600	4,000	Remote Refrigeration System Required	[2] 7,500	7,500
Beater Motor hp	.25	.5	.5	.25	.5	[2] .25	[2] .25
Freezing Cylinder qt. (l)	7 (6.6)	7 (6.6)	7 (6.6)	4 (3.8)	7 (6.6)	[2] 7 (6.6)	[2] 4 (3.8)
Mix Reservoir qt. (l)	20 (18.9)	20 (18.9)	20 (18.9)	14 (13.2)	Mix Delivery System Required	[2] 20 (18.9)	[2] 12 (11.4)
Width in. (mm)	18-7/16 (468)	18-7/16 (468)	13-5/8 (346)	16-1/8 (408)	10 (254)	26-1/4 (665)	19-1/16 (484)
Depth in. (mm)	31 (787)	31 (787)	32-3/8 (822)	27-5/8 (701)	33 (838)	33-1/8 (842)	27-1/2 (699)
Height in. (mm)	36-3/8 (924)	36-3/8 (924)	32-3/4 (832)	27-9/16 (700)	27-13/32 (696)	59-7/8 (1521)	36-5/8 (930)
Net Weight lb. (kg)	253 (114.8)	282 (127.9)	221 (100.2)	176 (79.8)	135 (61.2)	519 (235.4)	305 (138.3)
Crated Weight lb. (kg)	321 (145.6)	308 (139.7)	265 (120.2)	207 (93.9)	175 (79.4)	593 (268.9)	358 (162.4)



MODEL	C300	C300FAB	C303	C302	C314	0349
Number of Flavors	2	2	3	4	4	4
Frozen Carbonated Beverage (FCB)	X	X	X	X	X	X
Installation	Countertop (Shown on Optional Cart)	Countertop	Countertop	Countertop (Shown on Optional Cart)	Countertop (Shown on Optional Cart)	Floor
Optional Cart	X	X	X	X	X	
Optional Remote Auto Fill System						
Optional Syrup Jars/Brackets						
Optional Panel Spinner						
Compressor btu/hr*	18,000	18,000	18,000	[2] 17,000	[2] 18,000	[2] 14,000
Beater Motor hp	.25	.25	[3] .16	[2] .25	[4] .16	[2] .25
Freezing Cylinder qt. (liter)	[2] 7 (6.6)	[2] 7 (6.6)	[3] 7 (6.6)	[4] 7 (6.6)	[4] 7 (6.6)	[4] 7 (6.6)
Mix Reservoir qt. (liter)	-	-	-	-	-	-
Width in. (mm)	17-5/16 (439)	17-5/16 (439)	24-3/8 (619)	30-3/8 (771)	30 (762)	31-3/8 (797)
Depth in. (mm)	34-3/16 (868)	34-3/16 (868)	35-7/8 (977)	35 (889)	35-7/8 (911)	40-3/8 (1026)
Height in. (mm)	35-5/8 (905)	35-5/8 (905)	41-5/8 (1057)	40-5/8 (1032)	40-1/2 (1029)	56-13/16 (1443)
Net Weight lb. (kg)	335 (152.0)	335 (152.0)	441 (200.3)	675 (306.2)	632 (286.7)	765 (347.0)
Crated Weight lb. (kg)	383 (173.7)	383 (173.7)	507 (230.0)	702 (318.4)	699 (317.1)	847 (384.2)

TO LEARN MORE ABOUT TAYLOR SLUSH EQUIPMENT AND CREATING A CUSTOM FROZEN DRINK MENU, contact an authorized distributor or visit [taylor-company.com](http://taylor-company.com).



Rockton, IL USA  
 800.255.0626 | 815.624.8333  
[www.taylor-company.com](http://www.taylor-company.com) | [info@taylor-company.com](mailto:info@taylor-company.com)